025/119

Loxit MOULDINGS

CATALOG NO. 3-48

METAL MOULDINGS

and Accessories

LUMINUM • STEEL • BRONZE

Sta[illegible] Exclusive Distributors

U. S. Patent Office
FEB 24 1956

Loxit
MOULDINGS

CUSTOMER CONFIDENCE

While a catalog is primarily an "Instrument of Service," it can and should be an interesting book to browse over. Each subject should tell a story, and each story should add to the customer's knowledge of his business and reveal to him new ideas, methods, and tools useful to him in his relationship with his employees, his customers, and last though not least—himself.

With this catalog we offer you the longest line of trim mouldings on the market and a complementary line of fine tools and accessories. We endeavor to stock the best merchandise available, and we sincerely try to service your orders promptly, and efficiently.

We know that the welfare of our business depends on your confidence. We also know that the only way to earn your confidence is to sell quality merchandise at the right prices and service your orders with promptness and efficiency.

Frankly, anyone should be able to sell goods that are worth what they are sold for without lying about them. In fact, a smart merchandiser never lies about what he has to sell. If the truth will not sell his merchandise, there is something wrong either with his product, with himself, or both.

We have always told only the truth about everything that we do—our policies, our methods, our merchandise, and our service. We have the confidence of our customers, and we are proud of the record that we have made and the reputation that we have acquired for fair business dealing. We shall do everything we can to merit the continuance of your friendship to the end that our business relationship shall be not only mutually pleasant, but mutually profitable.

Yours for clean merchandising policies, quality products, and prompt, efficient service.

Do you know of any substitute for these qualifications?

THE LOXIT MOULDING CO.

L. F. URBAIN

L. F. URBAIN, *President*

(Includes Track)

U. S. PATENT OFFICE

FLAT TOP — Stainless Steel



Plain—"P"



Ripple—"R"



Grooved—"G"

	Width "A"
S-2-P	¼"
S-4-P	⅜"
S-6-P	½"
S-6-R	½"
S-7-P	⅝"
S-8-P	¾"
S-8-R	¾"

	Width "A"
SS-8-G	¾"
SS-9-P	1"
SS-9-R	1"
SS-9-G	1"
SS-11-P	1¼"
SS-13-P	1½"
SS-15-P	2"

U. S. Patent Office
FEB 24 1956
Design Division

FLAT TOP — Aluminum



Plain—"P"



Ripple—"R"

	Width "A"
AL-4-P	⅜"
AL-4-R	⅜"
AL-6-P	½"
AL-6-R	½"
AL-8-P	¾"

	Width "A"
AL-8-R	¾"
AL-9-P	1"
AL-9-R	1"

OVAL TOP — Stainless Steel

	Width "A"
SS-21	¼"
SS-23	⅜"
SS-25	½"
SS-26	¾"
SS-27	1"
SS-29	1⅛"
SS-32	1½"
SS-35	2"



All mouldings shown in this catalog are carried in stock in 12' lengths unless otherwise specified.

SNAP-ON MOULDINGS

(Continued)

OVAL TOP Aluminum





	Width "A"
AL-23	3/8"
AL-25	1/2"
AL-26	3/4"
AL-27	1"

U.S. Patent Office
FEB 24 1955
Design Division

END STOPS

3" long, for all aluminum snap-on sections are available on order. See page 1.

PAINTED STEEL SCREWED-ON MOULDING WITH SNAP-IN METAL INSERT



PS-29 ..... 1⅛" x ¼"
AX-PS-29-ES, end stops, 1½" long

Stock lengths 15'. Shipped complete with insert.

SNAP-ON CORNERS—Stainless Steel



INSIDE CORNER

SS-63-IC ..... ¾" x ¾"



OUTSIDE CORNER

SS-63-OC ..... ¾" x ¾"

This very practical, postage free postal card order book is available upon request. Write for yours today.

PLAIN ALUMINUM OVAL-FACE

(See also AL-541 Edgings)



AL-80



AL-81



AL-83



AL-84

	Width "A"		Width "A"
*AL-80-A	½"	AL-83-G	1"
AL-81-G	1"	AL-84-C	¾"
AL-83-C	¾"	**AL-84-J	1⅛"

*Carried in bronze ⅝" face, BR-80-B

**Carried in bronze 1¼" face, BR-84-L

PLAIN ALUMINUM FLAT-FACE



AL-87



† AL-88

	Width "A"		Width "A"
AL-87-J	1⅛"	AL-88-L	1¼"

† This section in 10' lengths, and satin finish.

GROOVED ALUMINUM FLAT-FACE

Bevelled Edge

	Width "A"
AL-92-F	15/16"
AL-92-L	1¼"



GROOVED FLAT-FACE

Stainless Steel

	Width "A"
SS-95-D	13/16"
SS-95-E	7/8"
SS-95-G	1"
†SS-95-L	1¼"

†—3 grooves.



SS-95

Aluminum



AL-95

	Width "A"
AL-95-D	13/16"
AL-95-F	15/16"
AL-95-L	1¼"



AL-96

	Width "A"
AL-96-E	7/8"
AL-96-G	1"
† AL-96-L	1¼"

†—3 grooves

ANGLES



"P" plain



"R" ripple

Stainless Steel

SS-102-ICP	½" x ½"	SS-102-OCP	½" x ½"
SS-104-ICP	¾" x ¾"	SS-104-OCP	¾" x ¾"
SS-104-ICR	¾" x ¾"	SS-104-OCR	¾" x ¾"
SS-106-ICP	1" x 1"	SS-106-OCP	1" x 1"

ACCESSORIES

In order to give a complete service, we carry in stock a long line of accessories, tools, racks, cements, anchors, screws, nails, pins, etc.

It is quite likely that we have in stock what you need; but if we haven't, we will get it for you if it is on the market. Order your accessories from Loxit.

SPECIAL DESIGNS

These are beautiful sections. They make attractive cap, panel, and belt mouldings.

FEATURE STRIP SECTIONS



Flat AL-164

	Face	Insert
AL-164-A	½"	¼"
AL-164-C	¾"	¼"
AL-164-G	1"	¼"



AL-165 Oval

	Face	Insert
AL-165-J	1⅛"	11/32"

GROOVED SECTIONS

(Fine for belt mouldings and edgings)

	"A" Face	Grooves
AL-169-V2	2"	3
AL-169-V2½	2½"	4

Thickness, about 3/32".



AL-169

Flat back feature strip sections can be made from any feature moulding by shearing off lip. Available on order.

A UNIQUE SOLUTION OF A COMMON PROBLEM

Look! What do you do when no available counter, stair, or other face moulding is wide enough to completely trim unusually thick faces?

Here is the solution! Use lat strips (see AL-150 and AL-160 series) in combination with the moulding that is suitable for the purpose.

Illustration shows the trimming of an unusually thick stair tread. It could be a counter top or other unusually thick edging requiring trim.



OVAL TOPS

EXTRUDED SOLID OVAL-TOP

Make excellent rub rails and edgings as well as beautiful trim mouldings.



Aluminum

	Width "A"
AL-175-WA	3/8"
*AL-175-A	1/2"
*AL-175-B	5/8"
*AL-175-C	3/4"
AL-175-E	7/8"
AL-175-G	1"
AL-175-H	1 1/8"
AL-175-L	1 1/4"

*Also carried in bronze. BR-175-F also carried in bronze, 15/16" face.

All AL-175 sections carried in stock, drilled and undrilled. Tipped Ends available on order.

AL-175-E available with caulking space on back. Ask for sample and price.

ROLLED OVAL-TOP HOLLOW SECTION



Heavy steel — Stock lengths 16'

AX-179-ES.....(16" long) — PS-179-L...1 1/4" x 23/32"

This section may be available in heavy aluminum extrusion, shortly. Ask about it if interested.

ALUMINUM TUBING

All dimensions are "outside."



Walls approximately 1/16" thick.

Square

	"X"	"Y"
AL-180-WA	5/16" x	5/16"
AL-180-A	1/2" x	1/2"
AL-180-C	3/4" x	3/4"
AL-180-E	7/8" x	7/8"
AL-180-G	1" x	1"
AL-180-S	2" x	2"

BENDING OF TUBING

These fine sections are useful in the designing of furniture, racks, stair rails, etc. We bend to specifications. Consult us for the solution of your unusual problems.





Round

	"Y"
AL-183-WA	5/16"
AL-183-A	½"
AL-183-C	¾"
AL-183-G	1"
AL-183-N	1½"

End Stops

AX-183-G-ES



Sockets

Sockets are available for AL-183-G (1" tubing) when used as a hanging rod. Sold in pairs only, and furnished in either aluminum or nickel plated steel as available.

AX-183-GS



Hexagon

	"Y"
AL-185-A	½"
AL-185-C	¾"
AL-185-G	1"

SLIP-IN MOULDINGS

(Commonly called "wallboard" mouldings)

5/32" MATCHED SETS

SS-200, AL-200, AL-201 carried in stock in 8' and 12' lengths, except Tub Moulding, carried in 12' lengths only.



Stainless Steel

SS-200-IC	Inside Corner
SS-200-OC	Outside Corner
SS-200-DV	Divider Strip
SS-200-C	Cap Strip

For Bath Tub Cove use SS-501-D or SS-502-D

SLIP-IN MOULDINGS

5/32" MATCHED SETS (Cont.)



Aluminum Hexagon Face

AL-200-IC .....Inside Corner
AL-200-OC .....Outside Corner
AL-200-DV .....Divider Strip
AL-200-C .....Cap Strip
AL-200-B .....Bathtub Cove



Aluminum Curved Face

AL-201-IC .....Inside Corner
AL-201-OC .....Outside Corner
AL-201-DV ..... Divider Strip
AL-201-C .....Cap Strip
AL-201-B .....Bathtub Cove



Aluminum Wide Faced

DEEP GROOVED
12' lengths only

AL-202-IC .....Inside Corner
AL-202-OC ..... Outside Corner
AL-202-DV .....Divider Strip
AL-202-C .....Cap Strip
AL-202-B .....Bathtub Cove

NOTE: We can furnish single flanged slip-in sections by shearing off one flange. Available in aluminum only.

5/16" MATCHED SETS



Aluminum Wide Face Sections

AL-203-IC..Inside Corner or Bath Tub Cove
AL-203-OC.....Outside Corner
AL-203-DV.....Divider Strip
AL-203-B..Bath Tub Cove or Inside Corner
AL-250-WG.....Cap Strip
Note—Sections AL-203-IC and AL-203-B are identical.

SLIP-IN MOULDINGS

General line—for thickness from 1/16" to 3/4". Only 12' lengths carried in stock.

INSIDE AND OUTSIDE CORNERS AND DIVIDER STRIPS



Aluminum for 1/16" thickness

AL-210-IC .....Inside Corner
AL-210-OC .....Outside Corner
AL-210-DV .....Divider Strip
Cap Strip (see AL-250-A)
Bathtub Cove (see AL-530-A)

Aluminum for 3/32" thickness

AL-211-IC .....Inside Corner
AL-211-OC .....Outside Corner
AL-211-DV .....Divider Strip
Cap Strip (see AL-250-B)
Bathtub Cove (see AL-530-B)

Aluminum for 1/8" thickness

AL-212-IC .....Inside Corner
AL-212-OC .....Outside Corner
AL-212-DV .....Divider Strip
Cap Strip (see AL-250-C)
Bathtub Cove (see AL-530-C)

(Continued)

INSIDE AND OUTSIDE CORNERS AND DIVIDER STRIPS

Aluminum for 3/16" thickness

AL-213-IC .....Inside Corner
AL-213-OC .....Outside Corner
AL-213-DV .....Divider Strip
Cap Strip (See AL-250-E)
Bathtub Cove (See AL-530-D)

Aluminum for 1/4" thickness

AL-214-IC .....Inside Corner
AL-214-OC .....Outside Corner
AL-214-DV .....Divider Strip
Cap Strip...(See AL-250-F)

Aluminum for 3/8" thickness

AL-215-IC .....Inside Corner
AL-215-OC .....Outside Corner
AL-215-DV .....Divider Strip
Cap Strip...(See AL-250-G)

Aluminum for 1/2" thickness

AL-216-IC .....Inside Corner
AL-216-OC .....Outside Corner
AL-216-DV .....Divider Strip
Cap Strip...(See AL-250-H)
AL-216-DV-SP....(See AL-770 "H")

Aluminum for 3/4" thickness

AL-217-IC .....Inside Corner
AL-217-OC .....Outside Corner
AL-217-DV .....Divider Strip
Cap Strip.....(See AL-250-K)

U.S. Patent Office FEB 21 1956

CAP STRIPS



SS-250



AL-250

SQUARE TOP

Stainless Steel

SS-250-B.....3/32"
SS-250-C..... 1/8"
SS-250-E.....3/16"
SS-250-H..... 1/2"

Aluminum

AL-250-A.....1/16"
AL-250-B.....3/32"
AL-250-C..... 1/8"
AL-250-E.....3/16"
AL-250-F..... 1/4"
AL-250-WG.....5/16"
AL-250-G..... 3/8"
AL-250-H..... 1/2"
AL-250-K..... 3/4"

Bevelled Top

STAINLESS STEEL

SS-251-B .....3/32"
SS-251-C .....⅛"

See SS-600 sink edging which can be used as a bull nosed cap strip.

ALUMINUM

AL-251-A .....1/16"
AL-251-B .....3/32"
*AL-251-C .....⅛"
*Also carried in bronze.

VARIABLE THICKNESS

AL-252 Small face—variable thickness. Open up with a hard wood wedge or tap down to get smaller opening. Also see AL-701—Large face for variable thicknesses from 1/16" to ¼". May be used as an edging as well as a cap strip.

COUNTER FACINGS
Underslung—Flush Type



SS-271



AL-271



AL-275

Stainless Steel
Straight Face

	"A"	"B"
SS-271-BC	3/32"	¾"
SS-271-CC	⅛"	¾"
SS-271-BD	3/32"	13/16"
SS-271-CD	⅛"	13/16"
SS-271-BE	3/32"	⅞"
SS-271-CE	⅛"	⅞"
SS-271-BG	3/32"	1"
SS-271-CG	⅞"	1"
SS-271-BH	3/32"	1-1/16"
SS-271-CH	⅛"	1-1/16"
SS-271-BJ	3/32"	1⅛"
SS-271-CJ	⅛"	1⅛"

Aluminum
Straight Face

	"A"	"B"
AL-271-BD	3/32"	13/16"
AL-271-CD	⅛"	13/16"
AL-271-BH	3/32"	1-1/16"

Aluminum
Straight Face (Cont.)

	"A"	"B"
*AL-271-CH	⅛"	1-1/16"
AL-271-EH	3/16"	1-1/16"
AL-271-BL	3/32"	1¼"
AL-271-CL	⅛"	1¼"
AL-271-BN	3/32"	1½"
AL-271-CN	⅛"	1½"
AL-271-BS	3/32"	2"
AL-271-CS	⅛"	2"
AL-271-BT	3/32"	2½"
AL-271-CT	⅛"	2½"

*Also carried in bronze.

Aluminum
Bevelled Face

	"A"	"B"
AL-275-BE	3/32"	⅞"
AL-275-CE	⅛"	⅞"
AL-275-BH	3/32"	1-1/16"
AL-275-CH	⅛"	1-1/16"

UNDERSLUNG ALUMINUM COUNTER FACINGS



AL-281



AL-301



AL-324

FLUSH TYPE

	"A"	"B"		"A"	"B"
AL-281-BE	3/32"	7/8"	AL-281-BH	3/32"	1-1/16"
AL-281-CE	1/8"	7/8"	AL-281-CH	1/8"	1-1/16"

NON-DRIP TYPE

	"A"	"B"		"A"	"B"
AL-301-BD	3/32"	13/16"	AL-301-BS	3/32"	2"
AL-301-CD	1/8"	13/16"	AL-301-CS	1/8"	2"
AL-301-BH	3/32"	1-1/16"	AL-301-BT	3/32"	2½"
AL-301-CH	1/8"	1-1/16"	AL-301-CT	1/8"	2½"

VARIABLE GAUGE TAP-DOWN TYPE

	"B"		"B"
AL-324-D	13/16"	AL-324-H	1-1/16"

For any thickness from 1/16" to ¼".

FEATURE STRIPS

Feature strip sections are shipped WITHOUT inserts, unless otherwise ordered. All dimensions "A" are under the lip.



SS-372



AL-372



AL-373

Stainless Steel

	"A"	Insert "B"
SS-372-B	5/8"	1/4"
SS-372-D	13/16"	5/16"
SS-372-G	1"	21/32"
SS-372-K	1-3/16"	11/16"

Outside corners available with 3" legs, 6" radius.



AL-374

Aluminum

Aluminum feature strip sections can be bent on the job by the workman. Minimum radius, about 1½".

	"A"	Insert "B"
AL-372-C	3/4"	3/8"
AL-372-E	7/8"	3/8"
AL-372-F	15/16"	1/2"
*AL-372-G	1"	1/2"
AL-372-L	1¼"	1/2"
AL-373-WB	9/16"	1/4"
AL-374-F	15/16"	1/2"
AL-374-L	1¼"	1/2"
AL-375-D	13/16"	9/16"
AL-375-F	15/16"	11/16"
AL-375-J	1⅛"	7/8"
AL-375-L	1-5/16"	1-1/16"

*Also carried in bronze.



AL-375

MULTIPLE FEATURE STRIPS



Two Inserts

	"A"	"B"
AL-384-E	7/8"	1/4"
AL-384-K	1-3/16"	3/8"

Three Inserts

AL-385-L	1 1/4"	1/4"

Two Inserts

	"A"	"B"
AL-394-S	2"	1/4"
AL-394-V-3	3"	1/2"

APPLIED-AFTER TYPE

Width of lip about 3/16"



SS-401

Stainless Steel

Solid Section
Plain Face

	"A"
SS-401-C	3/4"
SS-401-F	15/16"
SS-401-H	1-1/16"
SS-401-L	1 1/4"

AL-401-WA

AL-401

Aluminum

Plain Face

	"A"
AL-401-WA	3/16" x 5/16"
AL-401-A	1/2"
AL-401-B	5/8"
AL-401-C	3/4"
AL-401-D	13/16"
AL-401-F	15/16"
AL-401-H	1-1/16"
AL-401-L	1 1/4"
*AL-401-P	1 5/8"

*Also carried in bronze.

BRONZE MOULDINGS

In addition to the items marked * in the catalog, we carry heavy angles, bars, sill plates, etc., in bronze.

We cut, mitre, shear, and otherwise modify to plans and specifications. Consult us when in need of bronze sections.

COUNTER FACINGS



SS-403



AL-404



SS-410



AL-411



AL-412



AL-413



AL-414



AL-415



AL-416

Stainless Steel

BEADED FACE

	"A"
SS-403-C	3/4"
SS-403-E	7/8"
SS-403-J	1 1/8"
SS-403-L	1 1/4"

Aluminum

FLUTED FACE

AL-404-C	3/4"
AL-404-E	7/8"
AL-404-F	15/16"
*AL-404-H	1-1/16"
AL-404-L	1 1/4"
AL-404-P	1 5/8"

These sections can be bent on the job.

FLAT TOP

Stainless Steel

	"A"	"B"
SS-410-G	1/2"	1"

Aluminum

	"A"	"B"
AL-410-J	1/2"	1 1/8"
AL-411-F	3/4"	15/16"
*AL-411-K	3/4"	1-3/16"

*Also carried in bronze.

Aluminum

NARROW CURVED TOP

	"A"	"B"
AL-412-WC	.5/16"	21/32"
AL-412-F	.5/16"	15/16"
AL-412-K	.5/16"	1-3/16"

FLAT TOP

AL-413-S	.7/16"	2"

WIDE CURVED TOP

	"A"	"B"
AL-414-D	1/2"	13/16"
*AL-414-N	1/2"	1 1/2"

*Carried in bronze 1-3/16" face only. BR-414-K.

CURVED TOP

	"A"	"B"
AL-415-G	.5/16"	1"
AL-416-L	1/2"	1 1/4"

Mouldings AL-414, AL-415, and AL-416 make good auto running-board sections. Also see AL-667 series.

SLIP-ON CHANNEL MOULDINGS

Stainless Steel

	Top "A"	Opening "B"
SS-461-E	½"	⅞"
SS-461-G	½"	1"
SS-461-J	½"	1⅛"
SS-461-L	½"	1¼"
SS-461-M	½"	1⅜"



SS-461

COVES
Aluminum

	"A"	"B"
AL-500-A	¾"	1/16"
AL-500-B	¾"	3/32"
AL-500-C	¾"	⅛"
AL-500-E	¾"	3/16"
AL-500-G	¾"	⅜"
Extra wide face cove		
AL-503-D	1-1/16"	5/32"



AL-500

Stainless Steel
Small solid section

	"A"	"B"
SS-501-B	⅜"	3/32"
SS-501-C	⅜"	⅛"
SS-501-D	7/16"	5/32"



SS-501

Aluminum
Small face

	"A"	"B"
AL-501-A	⅜"	1/16"
AL-501-B	⅜"	3/32"
*AL-501-C	⅜"	⅛"

*Carried in bronze BR-501-E-3/16"



AL-501

Stainless Steel
Small Laminated Section

	"A"	"B"
SS-502-B	5/16"	3/32"
SS-502-C	5/16"	⅛"
SS-502-D	5/16"	5/32"



SS-502

End stops for all aluminum coves, and inside and outside corners available on order.

COVE BASE

These beautiful cove base sections can be made "applied-after" by removing the flange and lug.

	"A"	"B"	"C"
AL-507-V3	5/32"	3"	¾"
AL-507-V4	5/32"	4"	¾"



Accessories for Cove Base

Mitered, welded, and unwelded inside and outside corners; right and left end stops available on order. Fittings with 6" legs unwelded, will be shipped unless otherwise specified.

COVES AND QUARTER-ROUND

Applied-after Types



Aluminum
Light Curved Face

	"A"
AL-510-A	½"
AL-510-C	¾"

See also AL-517 cove series.



Stainless Steel

	"A"
SS-511	3/8"

Hollow back
*Also carried in bronze.

Aluminum

	"A"
*AL-511	½"

Solid back

Angle Cove

AL-512 ..... 5/8" x 7/8"



AL-512

Small Quarter-Round

Solid Back

AL-513 ..... ¼" x ¼"



AL-513.

END STOPS

End stops with 3" legs available.



HEAVY DUTY COVES

MEDIUM "A"	LARGE "A"
*AL-514-G . . . 1" plain	AL-514-S. . . . 2" plain
AL-514-GW . 1" with-insert	AL-514-SW . . 2" with insert

*Also carried in bronze.



QUARTER ROUNDS

OPEN BACK

	"A"	"B"
AL-515-WA	3/8"	3/8"
AL-515-A	1/2"	1/2"
AL-515-C	3/4"	3/4"

CLOSED BACK COVE

	"A"
AL-516	3/4"



LIGHT WEIGHT LARGE COVES

Hollow Back

	"A"
AL-517-K	1-3/16"
AL-517-M	1 3/8"
AL-517-Q	1 3/4"

End Stops, with 3" legs available for these sections.

BATHTUB MOULDINGS

May be used for inside corners.

UNDERSLUNG TYPE

	"A"
AL-530-A	1/16"
AL-530-B	3/32"
AL-530-C	1/8"
AL-530-D	5/32"

See applied-after coves.



EDGINGS

OUTSIDE CORNER

UNDERSLUNG TYPE

Aluminum

	"A"
AL-540-A	1/16"
AL-540-B	3/32"
AL-540-C	1/8"



TEE TYPE

Aluminum

	"A"	"B"
AL-541-BC	3/32"	1/8"
AL-541-CC	1/8"	1/8"
AL-541-CE	1/8"	3/16"
AL-541-BF	3/32"	1/4"
AL-541-EF	3/16"	1/4"



ALUMINUM ANGLE TYPE EDGING

See AL-401-WA . . . . . 1/4" x 3/8"

See: Snap-on Corners SS-62 series also.
Angles series Nos. 104 to 106, and Nos. 410, 411, 412 and 414.
Edgings series Nos. 635, 638, 666, 667 and 668.

DOOR EDGINGS

ALL door edgings available in both 3' and 12' lengths.



SS-580

Underslung Type

Stainless Steel

SS-580-B . . . . . 3/32"
SS-580-C . . . . . 1/8"

This is the best stainless steel door edging on the market. Notice the bar support, assuring stiffness.

AL-580

Aluminum

AL-580-B . . . . . 3/32"
*AL-580-C . . . . . 1/8"
*AL-580-E . . . . . 3/16"
*AL-580-F . . . . . 1/4"
AL-580-G . . . . . 3/8"
AL-582-H . . . . . 1/2"

*Also carried in bronze.

APPLIED AFTER TYPE

Stainless Steel

SS-588-P . . . 5/8" plain face
SS-588-R . . 3/4" ribbed face
For any gauges 1/16" to 3/16".



SS-588

APPLIED AFTER TYPE

Aluminum

	Face	Gauge
AL-587-B	½"	3/32"
AL-588-B	¾"	3/32"
AL-588-C	¾"	⅛"
AL-589-C	13/16"	⅛"

for Deluxe door edging.

Excellent mouldings for applied-after cap strips.



BUTT TYPE



AL-592



AL-593



AL-594



AL-595

	Face	Gauge
*AL-592-C	⅝"	⅛"
*AL-592-E	⅝"	3/16"
AL-593-C	½"	⅛"
AL-593-E	½"	3/16"

*Also carried in bronze.

	Face	Gauge
AL-593-F	½"	¼"
AL-594-F	5/16"	¼"
AL-595-WG	13/16"	5/16"
AL-595-H	1⅛"	½"

SINK FRAME MOULDINGS

UNDERSLUNG TYPE

For sinks set on top of drainboard



with 1" flange

SS-600-B . . . . . 3/32"

SS-600-C . . . . . ⅛"

SS-600 used as Cap Strip



AL-600



AL-601

Aluminum

with 1" square flange

AL-600-B . . . . . 3/32"

*AL-600-C . . . . . ⅛"

*AL-600-E . . . . . 3/16"

*Also carried in bronze.

with 1" tapered flange

AL-601-B . . . . . 3/32"

AL-601-C . . . . . ⅛"

(Continued)

UNDERSLUNG TYPE

Aluminum

with 2" tapered flange
AL-604-B .....3/32"
AL-604-C .....⅛"



NOTE: See also—AL-588, AL-648, AL-175 series.
AL-80 to 100—Tee Sections.

DRAINBOARD COVES



Aluminum AL-620.....Takes 7/16" back splash





Stainless Steel

SS-621....Fits any gauge

Aluminum

AL-621....Fits any gauge

NOTE: See Nos. 500, 501, and 502 series (underslung coves), and Nos. 510, to 517 applied-after coves and quarter-rounds.

SINK INSTALLATIONS

Preformed sink frames are not only a great convenience, but they are time and money savers as well as assuring neat, accurate work.

There are two sink setting conditions:

CASE 1. Where the sink is set on top of the drainboard.

CASE 2. Where the sink is hung under the drainboard.

Mouldings are available to solve every sink installation problem.

Solutions:

Case 1) (A) Using underslung sink frame mouldings (Like AL-600).
(B) Using applied-after type mouldings (Like AL-588, AL-589, or AL-638).

Case 2) (A) Using underslung counter facings (Like AL-271 or 301 series).
(B) Using applied-after counter facings (Like AL-401, 404 or 414 series).
(C) Using tee or modified tee sections (Like AL-610).

UNUSUAL CONDITIONS	There is no sink frame problem that we cannot solve. We welcome your inquiries.

HOW TO ORDER SINK FRAMES

In order to service your sink rim requirements promptly and efficiently, we need the information shown below.

CASE 1.

Sink Set On Top Of Drainboard

A. The outside dimensions of the sink or the inside measurements "X" x "Y" of the sink frame.

B. The radius of the corners—2" is standard.

C. The gauge of covering material to be used—3/32", 1/8", etc.

D. The type of moulding wanted. Order by number if possible.

U. S. Patent Office
FEB 24 1956
Design Division

Example:

One sink frame—20"x31"—AL-600-C—2"—corners. This means inside size of frame. Aluminum, Undersling type of mouldings 1/8" gauge with 2"—corners.



Welded one piece frames of following dimensions carried in stock in 2 gauges,

AL-600-B for 3/32" material
AL-600-C for 1/8" material

Outside Sink Size	Inside Rim Size "X" "Y"	Outside Sink Size	Inside Rim Size "X" "Y"
16 x 24	15 x 23	20 x 30	19 x 29
18 x 20	17 x 19	20 x 32	19 x 31
18 x 24	17 x 23	21 x 30	20 x 29
18 x 30	17 x 29	21 x 32	20 x 31
18 x 32	17 x 31	20 x 42	19 x 41
20 x 24	19 x 23	21 x 42	20 x 41
21 x 24	20 x 23		

OTHER THICKNESSES

Frames for other thicknesses, available on order. Frames made to order will be shipped unwelded to save time unless ordered otherwise.

(Continued)

CASE 2.—Where Sinks Are Hung Under The Drainboard

Where a flush underslung job is required, use counter facings AL-271 series. (Non-drip underslung job use AL-301 series). No screws show. AL-589 with concealed bolts also available, on order.



Information required:

A. Inside dimensions—"X" x "Y" of the opening cut in the drainboard.
B. Thickness of drainboard "M".
C. Radius of corners "R".
D. Gauge of covering material to be used "Z".

Example: One sink frame, AL-271-CH—2" corner, face sheared to ⅞" under flange. (To fit a ⅞" board).

These frames available in aluminum or bronze.

CASE 3. Where flush self-draining effect is not needed, and easy to set job is wanted, use applied-after sections such as series AL-401 or AL-404, etc. Screws show.



The same information is needed as Case 2 except that the second item shall read "total thickness of drainboard and covering material "P" (Workman can bend these frames on the job).

NEW TEE TYPE FRAME—AL-610



This frame meets all building codes—Easy to use—Sanitary —Easy to take out and replace for sink repairs when necessary.

A new applied after sink frame, for quick easy installation. Ideal for installation with Formica, Masonite and similar materials. Eliminates close fitting. Fits either square or rounded cornered, flat rim sinks. 1½" radius shipped unless otherwise specified.

Order by size and cut hole in drainboard to fit.

SINK SIZES	SINK SIZES	SINK SIZES
16 x 24	18 x 32	21 x 30
18 x 20	20 x 24	21 x 32
18 x 24	21 x 24	20 x 42
18 x 30	20 x 30	21 x 42
	20 x 32	

SINK STRAP CLAMPS

(with lag screws)

AX-610 Clamp complete with lag screw. Used to fasten under-slung sinks.



NOTE: Strap clamps and lag screws will be sent with rims unless otherwise directed.

CARPET STRIPS BINDINGS AND EDGINGS



AL-630



AL-631

Offset Type Binding

	Face		Face
*AL-630-G	1" wide	AL-631-T	2¼"
AL-631-L	1¼"	AL-631-V2-½	2½"
AL-631-N	1½"		

*Also carried in bronze.
*BR-630-S carried in bronze 2" face.



SS-635 AL-638 AL-635

Offset Type Edgings

	Face		Face
SS-635-G	1"	AL-638-C	¾"
*AL-635-K	1-3/16"	AL-638-L	1¼"

*Also carried in bronze.





Flat Bevelled Type Binding

FLAT BACK		UNDERCUT BACK	
*AL-640-L	1¼"	AL-641-M	1⅜"

*BR-640-N carried in bronze 1½" face.

Rounded Edge

	A"
AL-648-C	¾"
AL-648-L	1¼"



BENDS: We bend carpet sections to suit your requirements. Send template. Be sure to mark which side of the template is up and on which edge of curve the carpet is to be laid.

UNDERSLUNG TYPE

Stainless Steel

1" Flange

	"A"	"B"
SS-650-B	3/32"	1-1/16"
SS-650-C	1/8"	1-1/16"
SS-650-E	3/16"	1-1/16"



SS-650

Aluminum

1" square flange

AL-650-B	3/32"	1-1/16"
*AL-650-C	1/8"	1-1/16"

*Carried in bronze in 3 sizes

BR-650-C 1/8"
BR-650-E 3/16"
BR-650-F 1/4"



AL-650

Aluminum

1" tapered flange, square edge

AL-651-B	3/32"	1-1/16"
AL-651-C	1/8"	1-1/16"
AL-651-E	3/16"	1-1/16"



AL-651

Aluminum

3" tapered flange (Like AL-651 but with wide flange)

AL-652-C	1/8"	1-1/16"
AL-652-E	3/16"	1-1/16"

Aluminum

1½" flange, wide face

AL-653-B	3/32"	1⅝"
AL-653-C	1/8"	1⅝"
AL-653-E	3/16"	1⅝"



AL-653

NOTE: We bend all stair nosings to template. For miters and bends see next page.

BUTT TYPE Aluminum



WITH SCREW SLOT.

	"A"	"B"	"C"
AL-660-C	1/8"	1 1/16"	1¼"
AL-660-E	3/16"	1 1/16"	1¼"



WITHOUT SCREW SLOT

	"A"	"B"	"C"
*AL-661-C	1/8"	1 1/2"	1⅛"
*AL-661-E	3/16"	1 1/16"	1⅛"

*Also carried in bronze.

STAIR NOSINGS

BUTT TYPE
Aluminum

WITH SCREW SLOT, WIDE TOP

	"A"	"B"	"C"
AL-664-C	$\frac{1}{8}$"	$1\frac{1}{16}$"	$1\frac{3}{4}$"
AL-664-E	$\frac{3}{16}$"	$1\frac{1}{16}$"	$1\frac{3}{4}$"



BENDS AND MITERS

We bend or miter all stair nosings to meet the requirements of your job. Furnish templates. Mark which side is up.



APPLIED-AFTER TYPE

Carried in stock in 12' lengths. Will cut to other lengths on order, charging for waste and labor.

ROLLED SECTIONS

SS-666-LW light weight approx. .020 gauge, 1" top, ¾" face.

SS-666-HW heavy weight approx .025 gauge, 1" top, ¾" face.



SS-666-

This very practical, postage free postal card order book is available upon request. Write for yours today.

STAIR NOSINGS

(Continued)



Rolled Sections

WM-666 medium weight, 1" x ¾" zinc alloy.
BR-666—stiff section. 1" x ¾" brass alloy.



Extruded Section

AL-666.....1⅛" x 1⅛"

BAR STEP NOSING

In addition to all 666 numbers and AL-414-D, the following are good sections. They may be used for many purposes where a well-designed decorative angle is needed, including auto running board mouldings and trailer roof mouldings.

AL-667.....1" x ⅝"
Medium Weight



AL-668.....1" x ⅝"
Heavy Weight

THRESHOLDS



Plain Top

	"A"
*AL-682-P.....	2½" wide
*AL-683-P.....	3" wide

*Also carried in bronze.



Grooved Top

	"A"
*AL-684-G	4" wide
*AL-685-G	5" wide
*AL-686-G	6" wide

*Also carried in bronze.

These sections are designed for heavy work. We can shear to meet offset conditions or combine to make wider sections. We also bend to template. 12" lengths carried in stock. Cut lengths available on order. See price list.

RUG ENDS



AL-701



AL-702

Extruded Aluminum Tap Down Type

U. S. Patent Office
FEB 24 1956

AL-701-G .....1" AL-702-N .....1½"

Stocked in 12' lengths. Will cut to order, charging for waste and labor.

WOOD COVES

Design Division



WC-690-C .....¾" WC-690-M .....1⅜"
WC-690-J .....1⅛" WC-690-N .....1½"
WC-690-L .....1¼" WC-690-S.....2"

Stamped End stop for ¾", 1¼" and 1½" available.
AX-690-C AX-690-L AX-690-N

WOOD COVE SUBSTITUTE

"AE"—AS EXTRUDED
AE-693-K .....1-3/16"
AE-693-M.....1⅜"
AE-693-Q .....1¾"

End stops with 3" legs available for
AX-693-K AX-693-M
AX-693-Q

AWNING BAR

AL-717

Available from stock in 12' lengths in polished and Veltrim finish.



SPECIAL MOULDINGS

We are in a position to service conditions requiring mouldings made up to meet special problems. We offer complete co-operation from designing to delivery. We have helped many. We can help you. Write us.

BAR TRIMS

ALUMINUM BAR TRIM



Deluxe Trimalite, non-oxidizing, non-rubbing finish is standard Other finishes on order only. Total height above bar 1¾".

BAR RAIL



AL-708 .....Height above bar 1¾"
(includes aluminum holding strip)

BAR TROUGH



AL-709 .....Inside width 3¼"

ACCESSORIES

AX-708-OC .....6" long
AX-708-ESR .....3" long
AX-708-ESL .....3" long
AX-709-ESR .....3" long
AX-709-ESL .....3" long

NOTE: Will fabricate sections, including complete one-piece ends to specifications, plans or templates. Carried in stock in 12' lengths.

DRIP MOULDING

AL-718.....without insert

AL-718-WLI, with leatherette insert.

AL-718-WAI, with aluminum insert.

This section is shipped "as extruded" in 12' lengths unless otherwise specified.



PRICE TAG MOULDINGS



AL-734

AL-735

AL-736

	Shelf Size	Card Size
AL-734-M	1⅜"	1¼"
AL-734-SW	2⅛"	2"
AL-735-C	¾"	⅝"
AL-735-E	⅞"	¾"
AL-735-G	1"	⅞"
AL-735-J	1⅛"	1"
AL-735-M	1⅜"	1¼"
AL-736-WC	ANY	1"
AL-736-D	ANY	1¼"
AL-737-V4	4"	3⅞"

AL-737

NOTE: Wide price tag moulding has a ¾" top flange—can be used for special angle sections.

SEAM & EDGE BINDING

746-W M.....¾"
Light weight zinc SEAM binding

747-WM .....⅝"
Light weight zinc EDGE binding

SEAM binding..RED box

EDGE binding.BLUE box

Seam and edge bindings are boxed in 12' rolls, packed in neat counter display cartons containing 24 boxes each.



ROLLED BINDINGS & EDGINGS

WM-Zinc Alloy. SS-Stainless Steel. BR-Brass

SEAM BINDINGS

75' rolls

	"A"
740-WM	¾"—26 ga.
740-SS	¾"—26 ga.
740-BR	¾"—26 ga.

EDGE BINDINGS

75' rolls

	"A"
750-WM	⅝"—26 ga.
750-SS	⅝"—26 ga.
750-BR	⅝"—26 ga.



740-WM 750-WM

CHROME PLATED ZINC STRIP IN COILS

Widths from ½" to 6", chrome-plated on .010 ga. zinc. Three designs available: Plain, Horizontal Crimp and Vertical Crimp. Can be easily shaped, bent, cut, twisted. Will bend back on itself flat without breaking.

Plain	Horizontal Crimp	Large Vertical	Crimp Size
AX-760-A	AX-761-A	AX-762-A	½"
AX-760-C	AX-761-C	AX-762-C	¾"
AX-760-G	AX-761-G	AX-762-G	1"
AX-760-N	AX-761-N	AX-762-N	1½"
AX-760-S	AX-761-S	AX-762-S	2"
AX-760-V2-½	AX-761-V2-½	AX-762-V2-½	2½"
AX-760-V3	AX-761-V3	AX-762-V3	3"
AX-760-V4	AX-761-V4	AX-762-V4	4"
AX-760-V6	AX-761-V6	AX-762-V6	6"

Rolls—25' 50' 75' 100' and over. Material also available in sheets.

FEATURE STRIPS

We have installed in our shop a new, modern, specially designed feature strip cutting machine. As soon as linoleum becomes available, we expect to stock a complete line of feature strips packed in boxes of 48 ft.

If in need of feature strips, write us as we may have what you want; and if we do not have the item, we will try to get it for you.

SPECIAL MOULDINGS

We have available upon short notice approximately 150 aluminum extruded sections not shown in this catalog. Almost all of them can be modified in a number of ways to suit special conditions, eliminating the cost of new dies and new "setups."

A few of them are shown below.



54" WAINSCOT SECTIONS

All sections are 4½' long, have one end tipped available in aluminum only, polished and drilled, ready to use.



APPLIED-AFTER TYPE

Inside Corners

WX-102-ICP.....½" x ½" plain angle
WX-104-ICP.....¾" x ¾" plain angle
WX-104-ICR ....¾" x ¾" fluted angle
WX-106-ICP.....1" x 1" plain angle

Outside Corners

WX-102-OCP....½" x ½" plain angle
WX-104-OCP....¾" x ¾" plain angle
WX-104-OCR....¾" x ¾" fluted angle
WX-106-OCP.....1" x 1" plain angle

Divider Strip

WX-175-C.....¾" half oval flat divider strip

Coves

WX-510-C.....¾" cove
WX-511.....⅜" x ⅜" solid cove
WX-513.....¼" x ¼" quarter-round
WX-517-K.....1-3/16" cove
WX-517-M.....1⅜" cove
WX-517-Q.....1¾" cove

UNDERSLUNG TYPE

Slip-In Type

MATCHED SET
WX-211-IC.....3/32" inside corner
WX-211-OC.....3/32" outside corner
WX-211-DV .....3/32" divider

Coves

WX-500-A..¾" cove for 1/16" material
WX-500-B..¾" cove for 3/32" material
WX-500-C...¾" cove for ⅛" material

Corner Edgings

INSIDE
WX-530-B.....Small bull nose for 3/32" material

OUTSIDE
WX-540-B.....Small bull nose for 3/32" material

METAL-COVERED WOOD MOULDINGS

Over 200 designs in fine quality mirror finish, chrome-plated zinc carried in stock.

NOTE: Please ask for special folder which shows designs, sizes, and prices.





Picture Frame

Display Easel

Desirable and practical where "flash" is wanted at low cost such as in displays, stores, bars, recreation halls, show windows, basement play rooms, cabinets, etc. Easy-to-use, chrome-plated zinc gives a permanent high mirror finish which is very attractive.

A wide selection of over two hundred different designs, including flat, plain and fluted, half round, peaked, inside and outside corners, coves, and rabbited sections, are available from stock.

Used for frames and bulletin boards of all kinds as well as trim.

KNIVES

Good tools save time, trouble, and money

We carry the Russell-Harrington's Dexter line of knives—the finest knives available. A knife for every purpose, including linowall, floor, and wall work.



AX-1000 "Loxit" Knife — A good knife with a large handle and a large 2½" thin ground, fine-tempered, steel blade.



AX-1003

Removable Handle (No. 10-D) large, round, burnt finish.

AX-1004-a Removable Blade (No. X-752-½D). -general purpose blade.

AX-1004-b Removable Blade (No. X2-AD) for felt back linoleum.



AX-1005

Knife (2942) with 2" blade, round, black handle.



AX-1006 Knife (X-751) with 2" blade, round burnt finished handle.

AX-1007 Knife (742½) with 2½" blade, large, round rubberized handle.

AX-1008 Knife (752½) with 2½" blade, large, round, burnt finished handle.

AX-1010 Knife (X-252½) with 2½" thin blade, for cutting felt back inlaid linoleum.

KNIVES—(Continued)

WARD KNIFE

All purpose. Adjustable. Speedy. Easily handled.

There's a blade for every use. Blades packed 12 to a package. No broken packages.

AX-1011

Its four easy-to-handle, interchangeable, razor-edge blades are made to cover all cutting requirements. Cuts linoleum, tile, or fabric; each blade adjusts up and down, back and forth in the easy-grip enameled handle.

U.S. Patent Office
FEB 24 1956
Design Division

AX-1011-A
for carpets, padding, and wall linoleum.

AX-1011-B
for all linoleum, especially seam cutting.

AX-1011-C
for tile, asphalt tile, rubber tile, heavy gauge linoleum, whittling, fitting.

AX-1011-D
for felt base or printed linoleum.

THE KUTTO KNIFE

Can be carried in pocket.
Cuts insulated siding, wall boards, roofing felts, sanitas, linoleum, etc.



AX-1012—Utility

AX-1013—Special

AX-1012
Utility Kutto Knife

AX-1012-B
Tapered Blade 2½" long, .025 thick.

AX-1013
Special Kutto Knife

AX-1013-B
Square Blade 2½" long, .025 thick.

These blades are interchangeable. Packed in packages of 6. No broken packages.

Utility and Special Kutto Knives are of heavy steel construction, rust proof, and combined with heavy specially-ground blades that can be easily re-sharpened. One blade set ready for use and 5 extra blades in each handle. Blade reversible with both ends usable for cutting. Blade recesses into handle and can be carried in pocket. Adjustable to any desired depth of cut.

KNIVES—*(Continued)*

KUTTO CARTON CUTTER

Knife is made for splitting cartons without damaging contents. With blade set at proper length it splits cardboard boxes wih perfect safety. By lowering the angle at which you cut, the thinnest fibre cartons can be cut without making further adjustments.

Cuts off carton tops, cuts string, rope, paper, corrugated board—excellent for all cutting operations. Can be carried in pocket.

AX-1014





KUTTO does away with scissors, knives, and all the home-made cutting tools usually found in shipping departments.

AX-1014—Carton cutter
AX-1014-B
Blade, 1⅞" long .015 thick.

SNIPPO STRING CUTTER

Can be attached in any convenient place. Will cut efficiently in any position. Constructed of heavy steel—plated to prevent rusting. Simple to operate — nothing to get out of order—cuts the thickest rope easily and safely.



AX-1015—Snippo
AX-1015-B—Blade

KUTTO SCRAPER

Built of heavy gauge steel with a specially made blade that can be resharpened on any type of stone. Has a safety lock and special slide which draws the blade back into a safe position and locks it securely.

AX-1016—Scraper

AX-1016-B—Blade

FLOOR-MASTER LINOLEUM ROLLER

with "floating pressure"

AX-1020
150#—Width 15" Height 45½". Diameter of Roller 8¾".

AX-1021
100#—Width 14¼" Height 42½". Diameter of Roller 7¾".

AX-1022
75#—Width 14¾" Height 42". Diameter of Roller 5½".

AX-1023
20# — Width 10" Height 29½" to 44½". Diameter of Roller 2½".

Made of high grade case metal, machined to a smooth finish. Ends rounded to avoid damage to walls, woodwork, etc. The "floating pressure" feature allows you to roll over bumps and floor irregularities without missing surrounding areas. Each unit consists of three independently operating rollers.

INLAY TOOL

AX-1030

AX-1030-B .....Needles pkg. of 25

This tool has been produced specially for the cutting of stripes and circles. It will cut stripes from ⅝" to 3" and circles from 1¼" to 6". It is made of stainless steel with hollow aluminum handle which carries extra needles. Uses Cathcard scriber needles.



CHICAGO DIVIDER

PIN VISE COMBINATION

AX-1031

AX-1031-Y Divider alone
AX-1031-Z Pin-Vise alone

Can be extended to make 21" circles. Fine for close scribing work. Positive Collet grip. No set screws. Detachable utility leg ideal for pattern scribing. Utility leg interchangeable with Pin Vise. This tool is a "must" in every workman's kit.



SCRIBERS



ROBERTS "HEAVY DUTY" LINOLEUM SCRIBER

(Includes 6 big features)

SCRIBER
AX-1035
AX-1035-A
Needles
(pkg. of 25)

Adjusting nut eliminates guess work.
Binding nut locks adjustment in place.
Holds Scriber Needle in place.
Adjustment not disturbed when changing needles.
Guide made of case-hardened steel.
Body made of aluminum. Light and durable.
Opens flat for wall scriber.



END SCRIBER

AX-1036
with 7" bar

AX-1036-A
23" bar attachment extra

AX-1036-B
Needles
(pkg. of 25)

Combines the features of end and long or short wall scribing. Excellent for close-up scribing. Wall scribing point mounted in scriber body which is movable along the rod and locked in position by thumb screws. Rod has four scribing points allowing for scribing of several marks at one time. End scriber will cut circles, arcs, strips, squares, etc.



CATHCARD SCRIBER

SCRIBER
AX-1037
AX-1037-A
Needles
(pkg. of 25)

A pocket-sized tool, made of stainless steel. Compact and convenient. Can be used for seam cutting, fitting linoleum to nosings, edgings, linoleum borders, wall work, and many other jobs.

SCRIBERS



CHICAGO UNIVERSAL SCRIBER

For all smaller-scale scribing. Adjustable housing permits balanced one or two-hand grip. Is perfect for short over-scribing, underscribing all thicknesses of goods, small circle and parallel scribing, etc. Entire tool easily taken apart for quick cleaning. Only 5½" long.

AX-1038 ..... Scriber

AX-1038-A ..... 22" Extension bar—Fits snugly and accurately—overscribing bar in scriber.

AX-1038-B ..... Overscribing Bar. Accurately machined heavy cadmium plated bar. Retracting push pin. Lock nut adjustment for pin holder. Movable needle head etc. Makes circle 1¾" to 39¼". Recess scribing 1½" to 20¾".

AX-1038-C ..... Needles (pkg. of 25).

NOTE: Scriber can be used alone—with extension or without extension, plus overscribing bar. This is a very versatile tool.

BUY GOOD TOOLS AND SAVE MONEY



BULLET SCRIBER

AX-1039 Scriber
AX-1039-A Rod
AX-1039-C Needles (pkg. of 25)
AX-1039-D Needle Lug, extra

This is a simple, very practical, all-purpose scriber, suitable for stripe gauging and scoring, cutting of inserts, contour scribing, circle scribing, etc.

QUARTER-ROUND LIFTER

AX-1040

Designed to lift up the quarter-round at the same angle that the nails were driven in, eliminating breakage and waste.

HANDY ALL-PURPOSE TOOL



AX-1041

Used for opening boxes and other jobs requiring a tool that can be hammered.

CARBORUNDUM SHARPENING STONE

AX-1043

10" x 1¼" x ¾" carborundum sharpening stone. No oil or water required as stone is used dry only.



FLOOR TROWEL

AX-1050—Right Hand
AX-1051—Left Hand

All-steel, with large wood handle. Notched to give the proper spread of paste. Bevelled on front to protect baseboards, wall, etc.



WALL TROWEL

AX-1052

Lighter, more flexible than floor trowel. Designed to spread 18 to 20 sq. yds. of felt per gallon of paste.

PASTE SPREADER



AX-1055 — Spreader.
AX-1055-B—Replaceable. Rubber Edge.

10" wide. Body of aluminum with live rubber dentate edge, giving a flexible spreader. Spreads paste evenly.

PASTE SPREADER



ALL STEEL

AX-1056

A well-built, well-shaped tool. Stays sharp. Easily cleaned. It is so cheap, you can afford to buy it by the dozen or gross. Blade 9" wide, 5½" high.

CATHCARD WALL ROLLER

A perfect tried-and-proven tool for wall linoleum and close-quarters floor installations where complete adhesion is required and air pockets must be rolled out. Great on straight-aways and curves, and in corners.

AX-1064-A



AX-1064-B
available with solid roller on order.

CHICAGO ROLLER

AX-1065



One of the greatest 3-way tools in linoleum industry.

Uses include sink tops, cove base, stair treads, counters, cabinet interiors, and wherever materials are cemented or pasted to a permanent base. 5" x ⅞" x 7" wide. Weight 12 oz.

PRODUCTION ITEMS

Our moulding business covers all fields in which decorative mouldings are used, including the fields of manufacturing, floor and wall coverings, decorating, the building trades, display and lighting fixtures, machines of all kinds, cabinets, frames, easels, etc. We work from blueprints, sketches, or templates if you have them, or we will make them up ourselves if necessary.

We offer the most complete moulding service in existence. Call, see, or write us.

SEAM ROLLER
(Corner type)



AX-1066

Extremely useful all-around roller. Single bracket is strong, case-hardened steel firmly set in heavy-duty handle. Ball-bearing steel roller with square edge next to arm. Standard 2" x 2", shown with 3/8" rad.

SEAM ROLLER
(Straight type)



AX-1067

For heavy duty where pressure is important. Firmly constructed, double bracket assures continuous hard use without wearing out. Ball-bearing steel roller, 2" x 2".

IT PAYS TO BUY GOOD TOOLS

STRAIGHT EDGES



Fabricated from heavy Band steel, sheared and ground to width, milled true and straight.

AX-1070—75" long, 1/8" thick, 2 3/8" wide.

AX-1071—48" long, 1/8" thick, 2 3/8" wide.

AX-1072—32" long, 1/32" thick, 2" wide. A good flexible straight edge.



TEE EDGES

AX-1075—75" long, 1/8" thick, 2 3/8" wide. These Tee straight edges have a 12" head.

EVER-READY SELF CHALKING CHALK LINES

A very practical tool that no workman should be without. Eliminates tangled lines, and looking for chalk. Furnished with chalk lines 50' long.



AX1077—Chalk line reel with one refill. AX-1077-Y—Refills.

MITRE BOXES



AX-1080
MITRE BOX

Fine all steel box. High quality tool. Especially designed for accurate mitering and cutting of mouldings. Constructed of glass-hard steel. Comes equipped with clamps. Note that the clamps are notched out so that they may be removed or swung out of the way—making it easy to insert metal sections. Used with an ordinary hacksaw frame with 32-toothed blade. SIZE: Inside dimensions—11" long, 2" deep, 2½" wide. WEIGHT: 5½ lbs.

MITRE BOX



AX-1081

This is an excellent box for the price. It is true, light and easy to carry. Metal sides. Hardwood base that can be replaced. SIZE: Inside dimensions—8½" long, 1⅛" deep, 2" wide.

HACKSAW BLADES

AX-1082

Semi High speed, 12" blade. Teeth of these blades have been cut 32 to the inch, insuring a clean saw cut through thin gauged stainless steel, brass and other mouldings. CAUTION—Strain the blade well in frame with the rake of teeth forward. Bear down on forward stroke so the blade will not slip and ease the pressure on the return stroke. Do not bend sidewise. See that the blade stands perpendicular.

OTHER TOOLS

We are in a position to furnish any tool that can be procured on the Chicago market. If you do not see what you want, ask us and we will get it for you if we don't have it. We have many tools not shown because of lack of space.

HACK SAW FRAME



AX-1083

Strong, rigid, all-metal rust-resistant frame with one-piece solid steel back that telescopes into frame casting. Checked pistol grip handle. Adjustable for 8 to 12 inch blades. Blades faceable in four directions. Thumb nut blade tension. One 12-inch blade furnished with each frame. Weight 1¼ oz., depth 3⅛", stock 3/16" x 3/16".

SNIPS

BARTLETT TIN SNIPS

AX-1090

Bartlett 10" tin snips with compound lever action, specially ground for notching and cutting flanges of metal trims. The extra cutting power resulting from their compound lever action makes mitering easier, faster, and more accurate.

WISS METAL MASTER SNIPS

AX-1091-M1
cuts to left.



AX-1091-M2
cuts to right.

Wiss Metal-Master Snips with specially designed grips that make them easy to handle and greatly reduces cutting effort. Ideal for cutting and notching metal trims of all types. Cutting heads are forged from wear-resisting Manganese Molybdenum steel, handles are of hard, curable chrome vanadium steel. All parts are interchangeable. Fine serration regularly furnished on both jaws. Made in two matched types: MI (cuts to the left), and M2 (cuts to the right). Type MI will be furnished unless M2 is specified in your order. Length 10". Weight 10 oz.

ITEMS NOT SHOWN IN CATALOG

We carry many building items not shown in this catalog. If you do not see what you need, write us. Our sources of supply extend from coast to coast; and if we do not have what you need in stock, we will get it for you if it is available.

PLIERS

AX-1093



Utica Empire Brand pliers, forged from highest quality carbon steel. Have long reach, tempered needle nose and checkered grips. Length overall 6½".

U. S. Patent Office
FEB 24 1956
Design Division

COUNTERSINKS

Drills and countersinks combined. These practical tools can be used with breast drill and also with brace and bit. They not only drill the hole for the screw, but countersink with the same operation.

As three types of screws only are ordinarily used with Loxit mouldings, only three drills are necessary in order to give the workman a complete set.

These can also be used in drill presses.

AX-1096
For #3 O.H. or flat head screws.

AX-1097
For #5 O.H. or flat head screws.

AX-1098
For #6 O.H. or flat head screws.

AX-1099
Set of three.

STOVE AND REFRIGERATOR TRIANGULAR CASTER DOLLIES

AX-1110

The "Dollies" are made of semi-steel and equipped with either double ball-bearing or pivot-bearing swivel casters, 2" wheels being standard. They are designed to move heavy stoves, refrigerators, and other similar equipment. Heavy loads can be easily moved with these dollies and when assembled with the rubber or composition wheels will not mar or otherwise injure soft floor covering. Approx. dimensions 2" wheel 4" x 4" x 6" triangle. Weight—Set of four, 23 lbs.



ALL-PURPOSE DOLLY

AX-1111

A new, improved design, all-steel, all-purpose, triangular caster, dolly. Low overall height allows them to slip easily under heavy boxes, packing cases, legs of heavy desks, tables, cabinets, stoves, etc. These inexpensive labor savers are equipped with ball bearing casters. The frame is heavy gauge steel. Furnished with composition wheels, and in cadmium rust-proof finish. Approximate dimensions: Wheel 1¼", Length 6". Weight—Set of Four—3½ lbs.

FLOOR MASTER COMBINATION ASPHALT TILE CUTTER AND GAUGE

AX-1114
Both cutter and gauge.



AX-1114-Y Cutter Only

AX-1114-Z Gauge Only

Cutter and gauge are sold separately, but we recommend the combination because it gives a complete setup for the cutting of asphalt tile in precision square cuts with quarter inch adjustments from 1" to 12½" including diagonals. Perfect for cutting feature strips, borders, half tiles, etc. Those having just the tile cutter, can order the gauge because it will fit any FLOORMASTER cutter now in use, even the older models.

GOOD TOOLS ASSURE GOOD JOBS

PLASTIC WALL-TILE CUTTER

AX-1115

Magnesium body casting. Weight only 7½ lbs. Designed to give clean square cuts on plastic tile. Replaceable Hi-carbon blade. Compound fast-action handle. Adjustable guide bar. Ruled cutting gauge for straight and angle cuts. Convenient carrying handle. Shipping weight 10 lbs.

ADDITIONAL COPIES OF CATALOG

A copy of this catalog should be in every department handling materials of this kind. Additional copies will be sent upon request without obligation.

"BEST" LINOLEUM DOLLY

AX-1120-W
With Iron Wheels.

AX-1120-RT
With Rubber Tread Wheels.

Special long handle, extra, if wanted. Shpg. Wt. 5½ lbs.

This dolly is sturdily constructed. Made entirely of metal, the rolls being tubular steel mounted on ball-bearings. End members are malleable iron mounted on wheels of type shown. Shipping weight 19 lbs.

"BRADLEY" HANDY LINOLEUM DOLLY



AX-1121

The line of Bradley dollies has been favorably known for many years, not only because there is a dolly to fill every need, but because every dolly is designed to meet the needs of the linoleum trade. They are practical, strong, handy, and reasonably priced. They save a great deal of hard work and make the unrolling and cutting of linoleum, usually a hard job, an easy one. They are also great savers of materials, enabling the workman to handle heavy linoleum rolls without breakage and to cut it with reasonable tolerances.

AX-1121-X—STANDARD HANDY
Built of simple, strong malleable iron frames with hardwood rollers, 18" long, plain bearings. Shpg. Wt. 20 lbs. One-Handy for 8/4 linoleum. Two-Handy for 12/4 and 16/4 linoleum.

AX-1121-Y—IMPROVED HANDY
Same general construction except rollers are steel tubing running on ball bearings. Will handle the heaviest rolls, including 8/4 battleship. Shpg. Wt. 26 lbs.

FLOOR-MASTER LINOLEUM DOLLY

AX-1123

All steel, welded construction. Three 36" ball-bearing rollers. Four free-running steel wheels. Hard enamel finish. All parts replaceable.
Size 12" x 7½" x 39½".

BRADLEY STANDARD ONE-MAN TRUCK

AX-1125

One man can operate the truck easily when handling 8/4 linoleum; two men for heavy battleship linoleum. The unrolling is done with surprising ease. Unrolled from one side, the linoleum is face up; unrolled from the opposite side, it is face down.

WHEELS

Iron	AX-1125-I
Ruboid	AX-1125-R
Divine Canvas Cushion	AX-1125-D
Ball Bearing Rubber Tired	AX-1125-B
Ruboid with Hyatt Roller Bearings	AX-1125-RH
Divine with Hyatt Roller Bearings	AX-1125-RB

Rubber Bumpers for legs, set of 2, specify if wanted.
Shipping Weight 100 lbs.

IMPROVED ONE-MAN TRUCK

AX-1126

Similar to Standard One-Man Truck, but of improved construction and improved design, making a 100% balanced truck.

WHEELS

Semi-Steel	AX-1126-S
Ruboid	AX-1126-R
Divine Canvas Cushion	AX-1126-D
Ball Bearing Rubber Tired	AX-1126-B
Ruboid—Roller Bearings	AX-1126-RR
Divine—Roller Bearings	AX-1126-DR

Rubber Bumpers for legs, set of 4, specify if wanted.
Shipping Weight 100 lbs.

FLOORMASTER LINOLEUM TRUCKS

AX-1128-I With iron wheels.

AX-1128-R With rubber wheels.

This is a scientifically designed, 3-position rocker type truck. The weight is on the truck, not the man. Large, ball-bearing automatic chucking, steel rollers. Wide 1¼" x 5" wheels. Husky lifting blade. It's a fine tool, built for years of service.

Length 74½", Height above floor 31½", Width 20" Shipping Weight 96 lbs.

CARPET LAYING TOOLS ROBERTS KNEE KICKERS

These streamlined knee kickers are fine tools. Each has been specially designed to eliminate carpet laying hazards. Each can be instantly adjusted to lay the longest nap carpet easily and definitely WITHOUT NAPPING, and to lay the shortest nap carpet WITHOUT ENGAGING CARPET PAD.



AX-1130

MADE-RITE ADJUSTABLE KNEE KICKER

Specifications: 22-teeth, set in aluminum block 3½" by 3¾" long, tapered steel teeth, adjust from ⅛" to ⅞". Positive adjustment with set-screws which lower or raise entire block. Bumper padded with sponge rubber and durably upholstered. Approx. Shpg. Wt. 4 lbs.

"BUCK" KNEE KICKER

AX-1131

Specifications: 21 long tapered steel teeth set in hard wood block 4" x 3⅝". Set screws regulate tooth penetration. Bumper padded with sponge rubber and durably upholstered. Approx. Shpg. Wt. 3½ lbs.

HOOBLER MASTER KICKER



AX-1133

Master Knee Kicker. Compact, strong, light, weighing but 2½ lbs. Handle is detachable.
Description: Malleable iron, nickel-plated blade 2½"x 4½". Steel teeth. Hardwood handle. Sponge rubber head, covered with leather.

MASTER SMALL POLE STRETCHER



AX-1142



Master No. 1 Small Pole Stretcher, 8" across the face, 21 teeth, all aluminum head, good for carpets up to 20 ft. Extension poles not furnished.

ROBERTS POWER CARPET STRETCHER

The Practical One Man Tool

Efficient power is delivered in the Roberts Carpet Stretcher by positive, controlled leverage action, and when stretch is made, the lever automatically locks without manipulation of bothersome "gadgets." Both hands of the operator are free for work. The telescopic extension thrust rod may be adjusted instantly to any desired length. Ideal for either wood or concrete floors. Your customers will be satisfied. Your business will profit through the effective use of this machine.



THE JUNIOR

AX-1150 with carrying case

HEAD BLOCK: Hardwood, natural finish, 12" wide. Underside metal. TEETH: 56 long tapered adjustable tempered steel teeth. CASTINGS: Aluminum. HANDLE: High grade alloy steel 2½' long. Special hardwood hand grip. EXTENSION TUBING: Fine grade 12 ga. steel. Adjustment every 4". Extension from 3' to 21½'. ABUTMENT BLOCK: Hardwood. SHPG. WT.: With carrying case 55 lbs. Complete with 3 tubing extensions.

ROBERTS
POWER CARPET STRETCHERS

THE SENIOR

AX-1151
(no case)

Specially designed for jobs light enough for small installation but with sufficient strength to handle the smaller type of heavy work. Specifications similar to Junior Model but heavier head, 16" wide. Quality the same. Shpg. Wt. 60 lbs. complete with 3 tubing extensions.

U. S. Patent Office
FEB 24 1956
Design Division

THE COMMANDER

AX-1132 (No case)

Specifications similar to Senior except larger and heavier. Head 24" wide. Designed for heaviest type of installation; theaters, churches, etc. Complete with 3 tubing extensions. Approx. Shpg. Wt. 75 lbs.

NOTES

(A) No cases are available for the Senior and Commander.

(B) EXTRA TUBES are available for all Roberts Stretchers. Carefully specify which is wanted in ordering.

(C) Without extra extension, all stretchers extend 3' to 21' 6". Extra tubes add 6' each for Junior and Senior stretchers, and 7' for Commander. Each extension consists of combination inner and outer tube.

UTILITY TOOL CHESTS

19¼" Long
12½" High
7" Deep

Drawer
18" x 4¾" x 2½"

19¼" Long
7" High
12" Deep

CARPET LAYERS UTILITY CHEST
AX-1168

LINOLEUM LAYERS UTILITY CHEST
AX-1169

These tool chests are designed to fit your needs. Strong plywood construction with edges and corners reinforced. Sturdy leather handles and bright aluminum covers.

PLUGS — NAILS — SCREWS

FIBER PLUGS



Fiber plugs to secure fastenings in concrete, brick, plaster and other hard materials. Require very small drilled holes, yet give great holding power. Plug sizes are the same as screw sizes. No. 6 takes a No. 6 plug. A fiber plug should be only as large as diameter of the screw and as long as the threaded part of the screw.

Rawl (Lead Sleeved)	Lgth.	Fibre Plugs (Without Lead Sleeves)	Lgth.	Screw Size	Drill Hole
AX-1200-6D	¾"	AX-1201-6D	¾"	5- 6	5/32"
AX-1200-6G	1"	AX-1201-6G	1"	5- 6	5/32"
AX-1200-8G	1"	AX-1201-8G	1"	7- 8	11/64"
AX-1200-8N	1½"	AX-1201-8K	1¼"	7- 8	11/64"
AX-1200-10G	1"	AX-1201-10G	1"	9-10	3/16"
AX-1200-10K	1¼"	AX-1201-10N	1½"	9-10	3/16"
AX-1200-12G	1"	AX-1201-12G	1"	11-12	1/4"
AX-1200-12K	1¼"	AX-1201-12N	1½"	11-12	1/4"
AX-1200-14K	1¼"	AX-1201-14N	1½"	14 or lag screws	9/32"

RAWL DRILLS

Rawl drills are used to drill holes in brick, masonry, concrete and similar materials. Three point drills can be resharpened on any grinding wheel.



Item Number	Drill Number	Drill Size
AX-1205- 6	# 6	5/32"
AX-1205- 8	# 8	11/64"
AX-1205-10	#10	3/16"
AX-1205-12	#12	¼"
AX-1205-14	#14	9/32"

Packed in packets of 12



FOR HAND DRILLING

HARD RUBBER GRIP



AX-1209-Y grip only

Fits standard tool holder. Gives safe, comfortable, and firm cushion grip.

AX-1209-Z grip and holder

DRILL HOLDER



(Includes drift pins)

AX-1211
Holder only
Fits all above drills

CARBORUNDUM DRILLS

Normally we carry these drills up to ¼". Inquire as to availability and prices.

RAWLPLUG and DRILL KIT



AX-1210

This new drill kit contains a drill holder, drift pin, a set of two drills, sizes 6 and 8, 200 Rawlplugs of corresponding sizes, and the new Rubber Rawl Grip, made to fit the holder. This new grip and drill give a safe, comfortable and firm holding device for drilling small holes.

TOGGLE BOLTS

Rustproofed Countersunk





"Spring-In" Type "X" Flat Head	SIZES	"Snap-In" Type "Z" Flat Head
AX-1211-V2-X	⅛" x 2"	AX-1211-V2-Z
AX-1211-V3-X	⅛" x 3"	AX-1211-V3-Z
AX-1211-V4-X	⅛" x 4"	AX-1211-V4-Z
AX-1212-V2-X	3/16" x 2"	AX-1212-V2-Z
AX-1212-V3-X	3/16" x 3"	AX-1212-V3-Z
AX-1212-V4-X	3/16" x 4"	AX-1212-V4-Z
AX-1213-V2-X	¼" x 2"	AX-1213-V2-Z
AX-1213-V3-X	¼" x 3"	AX-1213-V3-Z
AX-1213-V4-X	¼" x 4"	AX-1213-V4-Z

Flat head will be sent unless round head is specified. Prices on nickel plated heads and other sizes on application.

STEEL WOOD SCREWS

In plain and plated finishes

Key to finishes—P-Plain, N-Nickel, C-Cadmium

FLAT HEAD
Countersunk

Ga.	Lgth.	Plain	Nickel	Cadmium	Approx. Count per lb.
3	½"		AX-1230-AN		1070
3	¾"	AX-1230-DP	AX-1230-DN		750
3	1"	AX-1230-GP	AX-1230-GN		575
4	1¼"	AX-1230-KP	AX-1230-KN		425
5	½"		AX-1232-AN		610
5	¾"	AX-1232-DP	AX-1232-DN		475
5	1"	AX-1232-GP	AX-1232-GN		375
5	1¼"	AX-1232-KP			275
5	1½"	AX-1232-MP	AX-1232-MN	AX-1232-MC	195
6	1"	AX-1233-GP		AX-1233-GC	315
6	1¼"	AX-1233-KP		AX-1233-KC	235
6	1¾"	AX-1233-RP		AX-1233-RC	145
6	2"	AX-1233-SP			85
8	1"	AX-1234-DP		AX-1234-DC	200
8	1¼"	AX-1234-KP		AX-1234-KC	180
8	1½"	AX-1234-MP		AX-1234-MC	140
8	1¾"	AX-1234-RP		AX-1234-RC	115
10	1½"	AX-1236-MP	AX-1236-MN		104
10	1¾"	AX-1236-RP	AX-1236-RN		85
10	2"	AX-1236-SP	AX-1236-SN		75

OVAL HEAD
Countersunk

Ga.	Lgth.	Nickel	Cadmium	Approx. Count per lb.
3	⅝"	AX-1240-BN		840
3	¾"	AX-1240-DN	AX-1240-DC	750
3	1"	AX-1240-GN	AX-1240-GC	575
3	1¼"	AX-1240-KN		425
5	¾"	AX-1242-DN	AX-1242-DC	475
5	1"	AX-1242-GN		375
5	1¼"	AX-1242-KN	AX-1242-KC	275
5	1½"	AX-1242-MN		175
6	1"	AX-1243-GN		315
6	1½"	AX-1243-MN	AX-1243-MC	190
6	1¾"	AX-1243-RN		145
8	1"	AX-1244-GN		200
8	1¼"	AX-1244-KN		180
8	1¾"	AX-1244-RN		115
10	1½"	AX-1246-MN		105
10	2"	AX-1246-SN		95

BRASS SCREWS
(Heads countersunk)

Plain finish except where shown

Ga.	Lgth	Flat Head, F	Oval Head, V	Approx. Count per lb.
3	¾"		AX-1250-DV-N	750
5	¾"		AX-1252-DV-N	475
5	1"		AX-1252-GV-N	345
6	1"	AX-1253-GF-P		275
6	1½"		AX-1253-GV-P	175
8	1¼"	AX-1254-KF-P		165
9	1½"	AX-1255-MF-P		110
10	1¾"	AX-1256-RF-P		78

ALUMINUM SCREWS

5	¾"		AX-1260-DV-P	1340

DRIVE SCREWS

6	⅞"	AX-1263-EF-N		320
8	1¾"	AX-1264-RF-P		115
10	1½"	AX-1266-SF-P		75

Other Kinds, Finishes and Sizes of Screws

Other types, sizes and finish of screws including solid brass, and aluminum, self threading sheet metal screws, etc., upon request.

CARPET LAYING TACKS



AX-1269-8 .....9/16"
AX-1269-10 .....⅝"
AX-1269-12 ....11/16"
AX-1269-14 .....¾"
AX-1269-16 ....13/16"
AX-1269-18 .....⅞"
AX-1269-20 ....15/16"
AX-1269-22 .....1"
AX-1269-24 .....1⅛"

Blued, Sterilized, Small Head Carpet Laying Tacks. Small head tacks are not always available. Large head will be shipped if available as a substitute, unless directed otherwise. Sold in 10 lb. and 25 lb. cartons and 100 lb. kegs.

ROBERTS CARPET TACK HAMMER

No. 5 carried in stock

AX-1270	Overall length
Length of head 7".	10¾".
Size of face ⅝".	Width of claw ¾".
Depth of claw ⅝".	Net weight 20 oz.

This is a fine case hardened "Bell Steel" head hammer with smooth, hard finish. Tool is specially treated to make it pliable and shock absorbing. Expertly tempered. This solid one piece hammer has extra strength all over. The metal handle is trimmed with selected first-grade hard wood which assures good grip. It's a fine tool—and certainly a must in all carpet and linoleum layers' tool boxes.

HELYX DRIVE SCREW NAIL





* This nail only carried in stock.

A quick, effective, inexpensive labor saving method of attaching wood or steel to concrete, plaster, etc. Ideal for wall boards. Recommended for use with wood, sheet metal, plaster wallboard of all types, etc. Drives like a nail, holds like a screw, will drive thru sheet metal, and into brick, ordinary concrete, plaster, wood, etc.
Heavy duty, plain steel, bright finish, small countersunk heads.

Item Number	Gauge	Length	Approx. No. per Lb.
AX-1220-A	1	½"	1960
AX-1220-B	1	⅝"	1700
AX-1220-C	1	¾"	1490
AX-1220-E	1	⅞"	1310
AX-1220-G	1	1"	1160
AX-1220-K	1	1¼"	895
AX-1220-N	1	1½"	730
AX-1221-G	2	1"	770
AX-1221-N	2	1½"	500
AX-1222-G	3	1"	680
AX-1222-N	3	1½"	415
AX-1222-S	3	2"	280

Flat head and Round head nails available on order only.
Flat countersunk only carried in stock

(Continued)

ESCUTCHEON PINS

Oval-head. Recommended for linoleum binding and edgings, small "applied-after" mouldings of all types, metal-covered wood mouldings, etc. where a neat, small decorative, oval-head fastener is wanted. No. 17 ga. carried in stock.

Brassed	Nickeled	Length
AX-1271-B	AX-1271-N	5/8"
AX-1272-B	AX-1272-N	3/4"
AX-1273-B	AX-1273-N	1"
AX-1274-B	AX-1274-N	1 1/4"
AX-1275-B	AX-1275-N	1 1/2"

Use 5/8" pins for rolled bindings and edgings.



LINOLEUM PINS

Hardened headless linoleum needles or pins. Indispensable where pins are required in connection with linoleum laying.

AX-1276-B	16 ga.	5/8"	approx. 2300 per lb.
AX-1277-E	21 ga.	7/8"	approx. 4000 per lb.

SMALL NAILS

Approx. 17 ga. scored and galvanized for use with cap strips, etc.

AX-1278-C . . . 3/4" long AX-1278-G . . . 1" long

BRADS

Stocked in bright steel, approx. 17 ga. Plated on request.

AX-1279-C.....3/4" long
AX-1279-G.....1" long
AX-1279-J.....1 1/8" long
AX-1279-L.....1 1/4" long

WATERPROOF CEMENT

Especially desirable for sink frames, as well as any type of metal. Black and Gray carried in stock.

Black		Gray
AX-1290-T	approx. 1/2 pint tube	AX-1291-T
AX-1290-W	half-pint	AX-1291-W
AX-1290-X	pint	AX-1291-X
AX-1290-Y	quart	AX-1291-Y
AX-1290-Z		AX-1291-Z



RUB-ER-EGE REPAIR CEMENT

Available in quarts and gallons

AX-1293-X quart
AX-1293-Y gallon

WHAT IT WILL DO

Used for quick, tight application of binding strips and fringes; reinstating nap in carpets and rugs; putting in patches; joining padding for rug pads; holding miters, cross seams and patterns "on match" while sewing; reinforcing seams where raw edges are hand-sewed together; finishing raw edges where no binding is used, giving an economical and durable finish; and many other uses.

QUICK • ECONOMICAL • POSITIVE

Indispensable to carpet and rug workers. Order Rub-Er-Ege today.

PLASTACK CARPET NAILING STRIP



NO DRILLING
NO NOISE
NO DUST

Anybody can lay Plastack



AX-1295.....100 foot unit
Shipping weight 100 lbs.

AX-1295-FT. Forming Tool

Plastack is an amazing new dry powdered cement-like substance containing waterproof cellulose fiber. When mixed with water it becomes a thick paste which can be molded easily to form a tack strip. When set, it resembles wood. Nails or tacks can be driven into it without its splitting or chipping! It simplifies all tackstrip installation, including carpeting concrete stairways!

One man can lay 100 lineal feet of PLASTACK in ONE HOUR!

One Unit Package makes 100 lineal feet of tack strip. Plastack is more convenient because it is faster, cheaper, and easier to apply. Plastack has many other uses such as for small repair jobs where a floor has settled or worn unevenly—or in cracks or other spots where a cement having a certain amount of flexibility is desirable.

"SCREW AND NAIL-SAVING BIN"

UNIT CONSISTS OF BIN AND 5 LBS. EACH OF 5 KINDS OF NAILS AND SCREWS



AX-1300

This is a well made plywood bin, painted an attractive green. It is divided into five compartments. Each section will hold aproximately seven pounds of screws, nails, or pins.

It is a time-saving, labor saving, screw saving accessory.

You can select "at a glance" the type of screw or nail for the particular job at hand and take out only what you actually need.

Overall length:.....25"
Height: .....6½"
Depth: .....6½"

Bin contains the following assortment:

5 lbs.—No. 5—¾" plain flat head wood screws.
5 lbs.—No. 5—¾" nickel-plated oval-head screws
5 lbs.—No. 3—¾" nickel-plated oval-head screws.
5 lbs.—No. 6—⅞" nickel-plated drive screws.
5 lbs.—1"—galvanized nails (for cap strips etc.)

LOXIT ALUMAWELD SOLDERING KITS



TOUGH SOLDERING JOBS MADE EASY

Conveniently packaged, each Alumaweld Kit contains the right proportion of flux for the solder included, together with complete instructions for applying Alumaweld to its manifold uses. These kits are intended for those who occasionally have a hard-to-solder job to do and for shops and industrial concerns that want to test or experiment with Alumaweld before adopting it. Prices upon request.

Part No.	Quantity	Shpg. Wt.
AX-1301-W	Standard Kit—30" of solder and flux	just under 1 lb.
AX-1301-X	Service Kit—45" of solder and flux	just over 1 lb.
AX-1301-Y	Mechanic's Kit—120" of solder and flux	2 lbs.
AX-1301-Z	Shop Kit—180" of solder and flux	3 lbs.

INVITATION TO VISIT US

When you come to Chicago, take a little time off to visit with us. We will be glad to show you the most modern and most complete moulding distribution setup in existence. We will be glad to see you any time you are in town.

LOXIT DRAWER SLIDES

Simple—Practical—Economical

No rollers or other mechanical features to get out of order.



AX-1302

A unique all metal interlocking easy sliding drawer slide. Simple to install and absolutely dependable in operation. Only one slide per drawer required. Will not bind. Fabricated from cold rolled Loxit channels, in lengths to suit. Undrilled.

DO YOU USE EXTENSION CORDS?

Here Is The Answer

'BENJAMIN REELS'

Reduces wear and tear on cords and therefore helps to eliminate fire hazards. Excess cord is taken up in the reel and therefore eliminates kinked or twisted cords. Reel is provided with a stop and release pawl holding cord at any position. Castings are of rust proof materials and are beautifully finished.

Practical—Economical—Safe

AX-1303-A—Deluxe reel furnished with 25 feet of SV-18/2 of electric extension cord rated 110-125 volts, 8 amp., 1000 watts. This reel is equipped with a self level winder attachment distributing cord evenly in reel.

AX-1303-B—This reel is equipped with 8 feet of SJ-18/2 electric cord and is suitable for washing machines, sewing machines, projectors, etc. Rating 110-125 V., 6 amp., 600 watts.

AX-1303-C—This reel is equipped with 12 feet of POSJ-18/2 electric cord and is ideal for use with lamps, radios and electric appliances. This reel is rated at 110-125 volts, 6 amp., 600 watts.

CONTINUOUS HINGES



We carry in stock at all times continuous (pian
hinges both in aluminum and steel. When in need
this type, write us for sizes, availability, and prices

DOOR HARDWARE

When ordering specify total length wanted



AX-1304—PUSH AND PULL BARS

This very beautiful Push and Pull bar combination can be furnished any length. Brackets are precision castings and the tubing 1" seamless extruded tubing.

The fixture is finished in anodized Deluxe Trimalite finish only. This finish is rich in appearance and permanent in use.

KICK PLATES—PUSH PLATES



AX-1306—KICK PLATES **AX-1307—PUSH PLATES**

These are a "must" on busy doors. All our plates are cut true to dimension and all edges neatly ground and bevelled. Screw holes are neatly spaced, drilled and countersunk for No. 5 screws unless otherwise specified.

Standard sizes are carried in stock. Special sizes available within a few days after receipt of order.

Three finishes available in Aluminum—High polish, Satin, and Trimalite.

Two finishes available in Brass and Stainless Steel—High polish and Satin.

	Item	Finish	Size
ALUMINUM	AX-AL-1306-P	Polished	(Specify size)
	AX-AL-1306-S	Satin	(Specify size)
	AX-AL-1306-T	Trimalite	(Specify size)
BRASS	AX-BR-1306-P	Polished	(Specify size)
	AX-BR-1306-S	Satin	(Specify size)
STAINLESS STEEL	AX-SS-1306-P	Polished	(Specify size)
	AX-SS-1306-S	Satin	(Specify size)

PUSH PLATES

The same comments apply to push plates as shown for kick plates. Give material, finish, and size when ordering. Drilling will be at the four corners only except in plates over [illegible] long unless otherwise specified. (See Kick Plates above.)

STANDARD BASE FITTINGS



OC IC L-ES R-ES

4½" Fittings in stock—Ask about the 6" Series. We are getting them and may have received them.

AX-1308-IC	4½" Inside Corner	AX-1309-IC — 6"
AX-1308-OC	4½" Outside Corner	AX-1309-OC — 6"
AX-1308-R-ES	4½" Right End Stop	AX-1309-R-ES 6"
AX-1308-L-ES	4½" Left End Stop	AX-1309-L-ES 6"

NOTE: End stops are right or left as you stand with your back to the opening.

Metal fittings for Armstrong base available on order.

ASTRAGAL BARS

Economical—Practical—Beautiful



AX-1320

Useful between cabinets, between sinks and ranges, cabinets and sinks, etc., to cover the joint.

AX-1320-R—Right Side AX-1320-L—Left Side

PACKING

To facilitate stocking and shipping and as a convenience to our customers in ordering and racking mouldings, most of our sections are wrapped in bundles of six pieces. Therefore, it will help both of us, as well as assuring quicker shipping service, if you will order in multiples of six pieces

LOXIT METAL GRILLES

(Full sheets are usually 30" or 36" wide by 96" or 120" long) Beautifully designed for a wide variety of uses. Manufactured in gauges that run from 20 to 24. We usually have about 22 ga. in stock. That is the gauge we order, but we take what we get and ship the gauge that we have available. White steel material. Adaptable for radiator covers, cabinets, ventilating grilles etc. Skylights, machinery, and gear protection, etc.

You will find that LOXIT GRILLES are neat, practical and economical.

Notice the percentage of opening. This may be very important.



Ornamental and Decorative Grilles

	% of Openings
AX-1310 Cross Octagon Cane	36%
AX-1311 Cross Round Cane	39%
AX-1312 Cross Full Clover Leaf	51%
AX-1314 Cross Gateway	38%
AX-1315 Cross Grecian	35%
AX-1316 Cross Kashmir	40%
AX-1317 Cross Imperial	34%
AX-1318 Cross Moire	41%
AX-1320 Cross Rocket	33%
AX-1321 Cross Roman	55%
AX-1322 Cross Temple	56%
AX-1323 Cross Windsor	45%

Industrial Grilles

AX-1330 Cross Lattice ½" square 53%

Other designs available on order. Used for machinery guards and other industrial requirements.

Cut to Size

We ship these grilles in full sheets or cut to size to suit [illegible] requirements.

DISPLAY UNITS

AX-1340

Display Unit — Mouldings, easily and beautifully displayed mean more sales.

★

Unit is beautifully designed and fitted with casters so that it can be moved as required.

★

It occupies only four square feet of space.

★

Half tubes make handling of mouldings easy as well as assuring display.

★

Attractive booklets for your customers, with imprint space for your name, which illustrate application of mouldings are furnished free with each unit. Replacement booklets are available without cost. Ask for them. Write for Special Folder and Attractive Offer.

★

We'll make up selections to suit your trade if desired.

ARE YOU IN TROUBLE?

We carry more than 1,000 different mouldings in stock in aluminum, bronze, stainless steel, etc. We have a fabricating shop. We have designers trained in the building and manufacturing business. We can and will help you cure that headache. That is a part of our business. We welcome your inquiries.

LOXIT STORAGE RACK



Urbain Patent No. 2,285,632

Saves Space!

Preserves Stock!

Projects only 5⅝" from the wall. Every piece of material within easy reach. Inventory can be taken quickly. Available storage space is multiplied many times and damage and waste are greatly reduced.

USES OF LOXIT STORAGE RACK

Excellent for holding Pipe, Tubing, Bars and Flats, Angles and other shapes. Materials in rolls—long or short and a variety of other items.

Spacings are adjustable—in length of stand and height of stand.

In distance between rows of brackets and in distance between standards.

Brackets for special uses on order.

By adding standards horizontally, racks can be any length.

By adding to standards vertically, racks can be any height.

By spacing standards closer, additional materials can be carried.

By spacing brackets closer more numbers can be separately and conveniently stocked.

By using special brackets, additional uses are made available.

AX-1350-V-5	5′ (consisting of 3 Standards and 15 Brackets)
AX-1350-V-8	8′ (consisting of 3 Standards and 30 Brackets)
AX-1350-V-10	10′ (consisting of 3 Standards 10′ long and 42 Brackets)
AX-1351	Extra Brackets (set of 3)
AX-1351-W	Extra Bracket (one)
AX-1352	5′ Standard (one)
AX-1353	8′ Standard (one)
AX-1354	10′ Standard (one)
AX-1355	Extra 5′ Standard with 5 Brackets
AX-1356	Extra 8′ Standard with 10 Brackets
AX-1357	Extra 10′ Standard with 14 Brackets
AX-1359	5″ Tubes—12′ long—split in two

TERMS OF SALE

Orders: We endeavor to fill all orders on the same day that we receive them, living up to our motto of—"Prompt, efficient service." You can help us do this when ordering by using the numbers shown in the catalog and then supplementing them by accurate descriptions where necessary. Clearness in writing up an order is very important from the standpoint of correct servicing.

Substitutions: While we carry in stock at all times the most complete line of mouldings and accessories ever assembled, we do run out of an item now and then. In such cases, it is quite likely that we can make a substitution that will do the job equally well; and unless we are specifically instructed not to do so, we will send the substitute so as to service the order promptly.

The customer has the privilege of returning such an item at our expense for full credit if it is not satisfactory.

Materials Returned for Credit: Except where Loxit is at fault and unless otherwise understood, materials returned for credit will be subject to a 15% handling charge, plus cartage. No material is returnable for credit without our authorization. No claims accepted for shortages, damages, etc., dated more than ten days after receipt of merchandise. Your co-operation will be appreciated.

Request for Credit: Customers ordering for the first time are requested to attach credit references to their order or allow us to ship on a C.O.D. basis until we have had the time to open an account for them. This courtesy helps both the customer and ourselves.

Terms: All materials are sold subject to a 2% cash discount if paid within ten days after date of invoice and NET 30 days. All materials are shipped f.o.b. our Chicago warehouse.

Routing: We can usually service an order more quickly if the routing is left up to us. Therefore, we will route a shipment the best way in our opinion unless a specific routing is indicated on the order.

Quantity Brackets: Metal mouldings ONLY are allowed in making up quantities for quantity bracket prices.

Screws, Nails, Pins: As a courtesy to our customers we will furnish screws, nails, and pins for our standard sections. In addition, we are prepared to sell these items in reasonable quantities by the pound, and at prices which in many cases are less than cost.

Stock Lengths: All mouldings with few exceptions are available in stock lengths of 12' only.

Handling Charges: Because of the high cost of cartons, tubes, and other materials used in packaging as well as the labor involved in shipping single items and small orders—whenever a sink carton, tube, or board package is necessary and the order amounts to less than $7.50, a handling charge of 50¢ will be made.

Fabrication: We are equipped to shear, slot, cut to length, miter, drill to template, and bend to specifications almost any Loxit moulding to suit customers' requirements, making reasonable charges for this service.

Consultation Service: We maintain a staff thoroughly trained in the building business and the uses of mouldings, and their services are offered to you without obligation. This service is valuable and often saves considerable time, trouble, and money in solving any unusual or special problems.

Co-operation: We are doing the best we can to give our customers the quality of service and materials which they have become accustomed to expect from us, and every effort will be made to continue servicing our accounts promptly and efficiently. Your co-operation is earnestly requested.

See Terms of Sale on Page 67

ITEM	PAGE
Accessories (general)	36 to 66
Adhesives, Waterproof Cement	58
Rub-er-ege	59
All-Purpose Tool	42
Alumaweld Soldering Kits	60
Anchors	54, 55, 56, 57, 58
Angles (see also Corners)	4, 5
Angles (cut from Tubing)	8
Armstrong Base Fittings	63
Asphalt Tile Cutter	48
Astragal Bars	63
Awning Bar	29
Bar Step Nosings	26, 28
Bar Trim, Edging & Trough	30
Bars, Push-Pull	62
Base Fittings 4" and 6"	63
Bathtub Mouldings	9, 10, 11, 12, 19
Belt & Panel Mouldings	2, 7, 25
Bending & Mitering	8, 27
Benjamin Reels (Electric Cords)	61
Bindings & Edgings	20, 21, 25
Blades, Hacksaw	45
Blades, Knives	36, 37, 38
Boat Trims	8, 16, 25, 29, 31
Bolts, Toggle	55
Brads	58
Bronze Sections (see note)	15
Bulletin Board Mouldings	35
Cap Strips, Underslung	9, 10, 11, 12, 13
Cap Strips, Applied After	7, 21
Carborundum Sharpening Stone	42
Carpet Bindings & Edgings	25
Carpet Layer's Tool Chest	53
Carpet Repair Cement	59
Carpet Stretchers	52, 53
Carpet Tacking Strip (Plastack)	59
Carpet Tacks	57
Carpet Tack Hammers	57
Carton Cutter	38
Cement, Waterproof Cement	58
Rub-er-ege	59
Chalk Lines	44
Channels	5, 6, 17
Channels, cut from tubing	8
Chrome-Plated Zinc Strips (Coils and sheets)	32
Compass Divider-Pin Vise	39
Congowall 54" Mouldings	34
Continuous Hinges	61
Corner Mouldings—Inside	
Snap-On	2
Angles	4, 5
Coves	17, 18, 19, 29
Slip-In	9, 10, 11, 12
Metal Covered Wood	35
Corner Mouldings—Outside	
Snap-On	
Angles	4,
Edgings	2
Slip-In	9, 10, 11, 12
Facings	13, 14, 15, 16, 26, 2
Metal Covered Wood	3
Counter Facings, Underslung	13, 14
Applied After	14, 15, 16, 17
Counter Sinks, Drills	4
Coves, Underslung	10, 11, 1
Applied After	18, 19, 2
Wood	29
Cove Base	1
Cove Base Fittings	6
Cutters, Asphalt Tile	4
Plastic Tile	48
String	38
Display Units	6
Dividers (Compass)	3
Divider Strips	9, 10, 11, 12
(see Panel Mouldings)	
Dollies, Linoleum	49, 5
Dollies, Stove & Refrig.	4
Door Edgings	20, 21
Door Hardware	62
Drain Board Mouldings	21, 2
Drapery Rods, 1" Tubing	9
Drawer Slides	6
Drills, Holders & Grips	47, 54
Drip Moulding	3
Drive Screws & Nails	56, 5
Easels	3
Edgings, Door	20, 21
Sink Frame	21, 22, 23, 2
(see Corners, Counter Facings, Angles)	
Edgings & Bindings Carpet & Lino.	25, 31, 32
Electric Cords & Reels	6
End Stops (Listed with Sections)	
Escutcheon Pins	58
Extension Cords, Reels	61
Facings—(see Counter Facings)	
Fasteners	54, 55, 56, 57, 5
Feature Strip Scriber	39
Feature Strip Mouldings	7, 14, 1
Feature Strips	1
Fiber Plugs	54
Flat Strips, Panel Mouldings	6, 7, 8, 2
Plated Zinc in Coils	32
Floor Trowels	42
Furniture Dollies	47
Grilles, Metal	64
Gutter Moulding, Drip	31
Hacksaws and Blades	45, 46
Half-Ovals (see Snap-Ons)	8
Headless Linoleum Pins	58

INDEX

ITEM PAGE

Helyx Drive Screw Nails 57
Hexagon Tubing 9
Hinges, Continuous 61

Inlay Tool (Feature Strip) ...39
Inside Corners (see Corners)

Kick Plates 62
Knee Kickers 51, 52
Knives, Linoleum 36, 37

Linoleum Base Fittings 63
Linoleum Bindings
& Edgings 31, 32
Linoleum Dollies 49, 50
Linoleum Knives 36, 37
Linoleum Layers Tool Chest .53
Linoleum Pins, Headless 58
Linoleum Rollers 39
Linoleum Trucks 50, 51
Loxit Metal Storage Rack ...66

Metal Covered Wood
Mouldings 35
Metal Grilles 64
Mitre Boxes 45
Miters, see note on page 27

Nails, pins, brads, etc. ...57, 58
Nosings, Stair 26, 27, 28

Order Books (see notes) ..2, 27
Outside Corners (see Corners)

Panel & Belt Mouldings .2, 7, 25
Paste, Waterproof Cement ..58
Paste Spreaders 42, 43
Perforated Metal Grilles 64
Hinges 61
Picture Frame Mouldings ...35
Pin Vise-Combination
Divider 39
Pins, Escutcheon, etc. 58
Plastack Carpet Nailing Strip 59
Plastic Tile Cutter 48
Pliers 47
Plugs, Fiber 54
Price Tag Mouldings 31
Push and Pull Bars 62
Push Plates 62

Quarter Rounds, Metal ..18, 19
Metal Covered Wood 35
Quarter Round Lifter 42

Racks, Storage, Display .65, 66
Rawl Drills 54
Rawl Plugs 54
Rawlplug Drill Kit 55
Reels (Extension Cords) 61
Rollers, Linoleum 39
Rollers, Wall and Seam .43, 44
Round Tubing 9
Rub Rails 2, 8, 25
Rubber Grip for Rawl Drills .54
Rub-er-ege Cement 59
Rule Ends, Tap Down
Mouldings 29
Running Board Sections .16, 28

Saddles (Door) 25, 28
Saws, Hack and Blades 45, 46

ITEM PAGE

Scraper 38
Screw Bin & Combination
Offer 60
Screws, Steel, Brass, Alum. .56
Scribers 40, 41
Seam & Edge Binding 25, 31, 32
Sharpening Stone 42
Shelf Facings 6, 15, 16, 31
Sink Frame Mouldings ...21, 22
Sink Frames 23, 24
Sink Strap Clamps 25
Slip-In Mouldings ..9, 10, 11, 12
Slip-on Channel Mouldings .17
Snap-on Corners 2
Snap-on Mouldings 1, 2
Snips, Metal 46
Sockets for 1" Tubing 9
Soldering Kit, Aluminum 60
Spreaders Linoleum
Paste 42, 43
Square Tubing 8
Stair Nosing 26, 27, 28
Bends 27
Wide Face Solution 7
Steel Mouldings 2, 8
Steel Oval Top Hollow
Section 8
Storage Racks for Mouldings 66
Stove & Refrig. Dollies 47
Straight Edges
(Tee Edge also) 44
Stretchers, Carpet 52, 53
String Cutter 38

Tacks, Carpet 57
Tack Hammers 57
Tee Edges (Straight Edges) ..44
Tee Sections 3, 4, 33
Thresholds 25, 28
Tile Cutters 48
Tin Snips 46
Toggle Bolts 55
Tool Chests 53
Tools (general) .....36 to 53
Tools not shown in catalog
(see note) 45
Trailer Sections—pages
.....2, 7, 8, 16, 25, 28, 29, 31
Trowels, Floor and Wall 42
Trucks, Linoleum 50, 51
Tubing, Bending of 8
Tubing, Round, Square
Hexagon 8, 9

Variable Gauge
Mouldings 13, 14
Ventilation Grilles 64

Wainscot Mouldings
(54" Tipped Ends) 34
Wallboard
Mouldings 9, 10, 11, 12
Wall Trowels 42
Waterproof Cement 58
Welding Kit, Aluminum 60
Wood Cove & Substitutes ...29
Wood Mouldings,
Metal Covered .....

"THE PRICELESS INGREDIENT"

In the city of Bagdad lived Hakeem, the Wise One, and many people went to him for counsel, which he gave freely to all, asking nothing in return. There came to him a young man, who had spent much but got little, and said: "Tell me, Wise One, what shall I do to receive the most for that which I spend?" Hakeem answered: "The thing that is bought or sold has no value unless it contains that which cannot be bought or sold. Look for the Priceless Ingredient." "But what is the Priceless Ingredient?" asked the young man. Spoke then the Wise One:

"MY SON, THE PRICELESS INGREDIENT OF EVERY PRODUCT IN THE MARKET - PLACE IS THE HONOR AND INTEGRITY OF HIM WHO MAKES IT. CONSIDER HIS NAME BEFORE YOU BUY."

"There's No Substitute for Quality and Prompt Efficient Service"

THE JOYIT MOULDING C